



**NATIONAL STANDARD OF THE
PEOPLE'S REPUBLIC OF CHINA**

GB/T 33215-2025

Replacing GB/T 33215-2025

Pressure relief devices for gas cylinders

气瓶安全泄压装置

Issued on: August 29, 2025

Implemented on: March 01, 2026

**Issued by: State Administration for Market Regulation;
Standardization Administration of the People's Republic of China.**

Table of Contents

FOREWORD.....	2
1 SCOPE.....	4
2 NORMATIVE REFERENCES.....	4
3 TERMS, DEFINITIONS, AND SYMBOLS.....	4
4 TYPES AND STRUCTURAL TYPES OF PRESSURE RELIEF DEVICES.....	6
5 REQUIREMENTS FOR THE INSTALLATION OF PRESSURE RELIEF DEVICES.....	7
6 REQUIREMENTS FOR THE SELECTION OF PRESSURE RELIEF DEVICES.....	8
7 BASIC REQUIREMENTS FOR PRESSURE RELIEF DEVICES.....	9
8 MINIMUM FLOW CAPACITY FOR SAFETY AND RATED CAPACITY OF PRESSURE RELIEF DEVICES	11
9 REQUIREMENTS FOR THE DETERMINATION OF OPERATING PRESSURE AND OPERATING TEMPERATURE OF PRESSURE RELIEF DEVICES	13
10 MARKING, INSTALLATION, AND MAINTENANCE OF PRESSURE RELIEF DEVICES	14
BIBLIOGRAPHY	22

Foreword

This document was drafted in accordance with the provisions of GB/T 1.1-2020 *“Directives for standardization - Part 1: Rules for the structure and drafting of standardizing documents”*.

This document replaces GB/T 33215-2016, *“Pressure relief devices for gas cylinders.”* Compared with GB/T 33215-2016, in addition to structural adjustments and editorial changes, the main technical changes are as follows:

- a) ADD the terms and definitions of “thermally activated pressure relief device” and “vent area” (see 3.1.4 and 3.1.5 of this document);
- b) ADD the description of fusible alloy activated devices (see 4.2 of this document);
- c) ADD the description of glass bulb activated devices (see 4.3 of this document);
- d) MODIFY the provisions that the pressure relief device shall be installed (see 5.1 of this document; 5.1 of the 2016 edition);
- e) MODIFY the provisions that the pressure relief device may be exempted (see 5.3 of this document; 5.2 of the 2016 edition);
- f) ADD the requirement that oxygen, nitrogen and inert gas cylinders are not equipped with pressure relief devices (see 5.5 of this document);
- g) MODIFY the requirements for the selection of pressure relief devices for cryogenic insulated gas cylinders (see 6.4 of this document; 6.4 of the 2016 edition);
- h) ADD the requirements for the selection of pressure relief devices for liquefied petroleum gas cylinders for vehicles, liquefied dimethyl ether cylinders for vehicles, compressed natural gas cylinders for vehicles, compressed hydrogen cylinders for vehicles, non-refillable steel welded cylinders, fiber-wound gas cylinders for breathing apparatus, seamless steel gas cylinder bundles containing liquefied gas, and other types of gas cylinders (see 6.5 ~ 6.11 of this document);
- i) ADD the requirements for TPRDs installed on compressed hydrogen cylinders for vehicles (see 7.1.6 of this document);
- j) MODIFY the requirements for the location of pressure relief devices for non-refillable steel welded cylinders (see 7.3.2 of this document; 7.3.3 of the 2016 edition);
- k) ADD the requirements for the installation of pressure relief devices for acetylene cylinders, large-volume gas cylinders for tube trailers and tube bundle containers, cryogenic insulated gas cylinders, and cylinders for metal hydride reversible

hydrogen storage and release systems (see 7.3.3, 7.3.4, 7.3.5, 7.3.7, and 7.3.8 of this document).

- l) ADD the requirements for the installation of bursting discs in bursting disc-fusible plug composite devices (see 7.3.9 of this document).
- m) ADD the requirements for the installation of pressure relief devices for longer gas cylinders (see 7.3.10 of this document).
- n) MODIFY the provisions for the value of the discharge coefficient K (see 8.2 of this document; 8.2 of the 2016 edition).
- o) ADD the provisions for the calculation of the rated capacity of pressure relief devices for compressed hydrogen cylinders for vehicles (see 8.4 of this document).
- p) ADD the provisions for the calculation of the rated capacity of pressure relief devices for cylinders for tube trailers and tube bundle containers containing compressed hydrogen (see 8.5 of this document).
- q) MODIFY the requirements for the operating pressure of bursting disc devices (see 9.1 of this document; 9.1 of the 2016 edition);
- r) ADD the provisions for the operating temperature of TPRDs (see 9.3 of this document);
- s) ADD the provisions for the marking of pressure relief devices (see 10.1 of this document).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. The issuing authority of this document shall not be held responsible for identifying any or all such patent rights.

This document was proposed by and shall be under the jurisdiction of National Technical Committee on Gas Cylinders of Standardization Administration of China (SAC/TC 31).

Drafting organizations of this document: Dalian Boiler and Pressure Vessel Inspection and Testing Institute Co., Ltd., China Special Equipment Inspection and Research Institute, Dalian University of Technology, Beijing Tianhai Industry Co., Ltd., Sinoma Science & Technology (Suzhou) Co., Ltd., Zhejiang University, Dalian Duta Technology Safety System Co., Ltd., Shanghai Special Equipment Supervision and Inspection Technology Research Institute, Shijiazhuang Enric Gas Equipment Co., Ltd.

Main drafters of this document: Han Bing, Hu Jun, Li Bei, Huang Qianghua, Yan Xingqing, Wang Yanhui, Zhang Baoguo, Yang Minggao, Ma Xin, Li Qinan, Song Xuesi, Yu Youliang, Sun Li, Wang Hongxia, Zhu Yongjiang.

This document was first published in 2016. This is the first revision.

Pressure relief devices for gas cylinders

1 Scope

This document specifies the types and structural types, installation requirements, selection requirements, basic requirements, calculation of minimum flow capacity for safety and rated capacity, requirements for the determination of operating pressure or operating temperature, as well as marking, installation, and maintenance of pressure relief devices for gas cylinders.

This document applies to gas cylinders of various structures and types containing various gases.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

GB/T 8337 Fusible plug device for gas cylinders

GB/T 13005 Terminology of gas cylinders

GB/T 16918 Bursting disc safety devices for gas cylinders

GB/T 17268 Non-refillable steel welded cylinders for industrial use GB

18428 Glass bulbs used for automatic fire extinguishing systems

GB/T 42536 Assembly valve on high pressure hydrogen storage cylinder for vehicles

3 Terms, definitions, and symbols

For the purpose of this document, the terms and definitions defined in GB/T 13005 and the following apply.

3.1 Terms and

definitions 3.1.1

pressure relief device